tedee

Accessories

Smartlock program

TABLE OF CONTENTS

TEDEE LOCK PAGE 4

BRIDGE & KEYPAD PAGE 5

REPLACEMENT SHAFTS FOR EURO CYLINDERS PAGE 6

GERDA SLR MODULAR CYLINDER FOR TEDEE LOCK PAGE 27

TABLE OF CONTENTS

ADAPTER FOR EURO-PROFILE CYLINDERS PAGE 29

ADAPTER FOR SWISS-PROFILE CYLINDERS PAGE 30

ADAPTER FOR SCANDINAVIAN LOCKS PAGE 31



KNOB FOR ‘TEDEE READY’ CYLINDERS PAGE 32

tedee



- Smallest
- Fastest
- Powerful
- Reliable
- Smart
- Stylish

TEDEE LOCK is a compact doorknob with an autonomous drive. It can be attached to a standard profile cylinder from the inside of the apartment. It allows to unlock and lock the door remotely using a smartphone and dedicated apps for iOS (iPhone, Apple Watch) and Android. The application can notify the administrator when the lock gets unlocked and provides access to the events log. The connection security is guaranteed by encrypted data transmission. The user-friendly app allows you to share digital keys with other users easily and quickly. The digital key can be shared temporary, regularly or permanently.

Tedee has many smart features, such as auto-unlock when you return home, auto-lock when you leave, and pulling the spring for doors with pull handles. The built-in efficient rechargeable battery provides continuous operation of the lock for up to 12 months. The lock can be charged by micro USB cable with a secure magnetic tip (included) by connecting it to a USB charger or a powerbank. The door can be unlocked from the outside with a standard key in any case, and tedee lock itself can be used as a regular doorknob.

LOCK



Watch a video of how to install a door lock

BRIDGE & KEYPAD

BRIDGE KEYPAD

Bridge is a wireless Wi-Fi/Bluetooth router that allows you to access the lock remotely over the Internet via tedee app installed in your smartphone.

It allows you to manage your lock remotely from anywhere in the world, at any time, and checking the events log in real-time.

The bridge provides remote access to many functions and automatically updates the firmware of all connected devices.

Keypad just makes it simple. You can mount it on the wall, connect it to the app, and grant access to the lock remotely by texting the PIN codes.

The keypad can be installed outdoors using adhesive tape or screws, it's battery operated (3 x AAA) with the backlight keys and the buzzer. You can store 100 five- to eight-character PINs, assign aliases to keep control of who's coming, and change the PIN codes remotely over the bridge.

INDEX	PRODUCT / COLOR	DIMENSIONS
TLV1.0AHK	LOCK SILVER	Ø 45x55 mm
TLV1.0BHK	LOCK GRAPHITE	Ø 45x55 mm
TBV1.0A	BRIDGE WHITE	64x64x26 mm
TKV1.0	KEYPAD GRAPHITE	48x135x28 mm

REPLACEMENT SHAFTS FOR EURO CYLINDERS

TEDEE LOCK can be used with the profile cylinders of many brands by replacing the original shaft in the cylinder with doorknob with a shaft which meets tedee standard.



Replacing the shaft is generally quite simple, but we recommend you to contact a local locksmith. Remove the safety ring, pull the original shaft out of the cylinder body and replace it with a replacement shaft selected from the tedee standard catalogue and insert the safety ring. The cylinder is now ready for tedee lock.



Note: To mount TEDEE LOCK, the CYLINDER must protrude at least 2 mm from the lock escutcheon from the inside of the apartment.

ABUS 430/X12R

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35288	GL-A33-30	5902203352885	30 mm
35289	GL-A33-35	5902203352892	35 mm
35290	GL-A33-40	5902203352908	40 mm
35400	GL-A33-45	5902203354001	45 mm
35401	GL-A33-50	5902203354018	50 mm

ABUS, Bravus, Vitess, Zolit are registered trademarks of ABUS August Bremicker S hne KG.

ABUS K82

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35283	GL-A22-30	5902203352830	30 mm
35284	GL-A22-35	5902203352847	35 mm
35285	GL-A22-40	5902203352854	40 mm
35286	GL-A22-45	5902203352861	45 mm
35287	GL-A22-50	5902203352878	50 mm

ABUS, Bravus, Vitess, Zolit are registered trademarks of ABUS August Bremicker S hne KG.

ABUS BRAVUS/VITESS/STANDARD/ZOLIT

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35282	GL-A11-30	5902203352823	30 mm +*MX
35406	GL-A11-35	5902203354063	35 mm
35407	GL-A11-40	5902203354070	40 mm
35408	GL-A11-45	5902203354087	45 mm
35409	GL-A11-50	5902203354094	50 mm

ABUS, Bravus, Vitess, Zolit are registered trademarks of ABUS August Bremicker S hne KG.

ABUS KD10/ECK550/KE60

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35313	GL-A55-30	5902203353134	30 mm
35314	GL-A55-35	5902203353141	35 mm
35315	GL-A55-40	5902203353158	40 mm
35316	GL-A55-45	5902203353165	45 mm
35317	GL-A55-50	5902203353172	50 mm

ABUS, Bravus, Vitess, Zolit are registered trademarks of ABUS August Bremicker S hne KG.

BKS PZ88

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35308	GL-B10-30	5902203353080	30 mm
35309	GL-B10-35	5902203353097	35 mm
35310	GL-B10-40	5902203353103	40 mm
35311	GL-B10-45	5902203353110	45 mm
35312	GL-B10-50	5902203353127	50 mm

DOM RN/IX 5N

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35307	GL-D20-30	5902203353073	30 mm
35303	GL-D20-35	5902203353035	35 mm
35304	GL-D20-40	5902203353042	40 mm
35305	GL-D20-45	5902203353059	45 mm
35306	GL-D20-50	5902203353066	50 mm

DOM RS SIGMA MODULAR

CYLINDER

SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
36157	GL-D30-30	5902203361573	30 mm +

EVVA EPS COMPACT

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35297	GL-E12-30	5902203352977	30 mm
35298	GL-E12-35	5902203352984	35 mm
35299	GL-E12-40	5902203352991	40 mm
35300	GL-E12-45	5902203353004	45 mm
35301	GL-E12-50	5902203353011	50 mm

EVVA EPS SYMO





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35302	GL-E13-30	5902203353028	30 mm +

EVVA ICS/4KS/MCS

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35387	GL-E14-30	5902203353875	30 mm +

ISEO GERA 3000

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35834	GL-I15-30	5902203358344	30 mm +

ISEO GERA WS



CYLINDER

SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
36165	GL-I25-30	5902203361658	30 mm +

KABA GEGE PEXTRA+

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35323	GL-K16-30	5902203353233	30 mm
35324	GL-K16-35	5902203353240	35 mm
35325	GL-K16-40	5902203353257	40 mm
35326	GL-K16-45	5902203353264	45 mm
35327	GL-K16-50	5902203353271	50 mm

KABA

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35296	GL-D10-30	5902203352960	30 mm +

KESO 8000 (OLD VERSION)

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35291	GL-K25-30	5902203352915	30 mm
35292	GL-K25-35	5902203352922	35 mm
35293	GL-K25-40	5902203352939	40 mm
35294	GL-K25-45	5902203352946	45 mm
35295	GL-K25-50	5902203352953	50 mm

KESO 8000 (NEW VERSION)

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35394	GL-K35-30	5902203353943	30
35395	GL-K35-35	5902203353950	35
35396	GL-K35-40	5902203353967	40
35397	GL-K35-45	5902203353974	45
35398	GL-K35-50	5902203353981	50

MAUER ELITE 1

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35338	GL-M20-30	5902203353387	30 mm
35339	GL-M20-35	5902203353394	35 mm
35340	GL-M20-40	5902203353400	40 mm
35341	GL-M20-45	5902203353417	45 mm
35342	GL-M20-50	5902203353424	50 mm

MUL.T.LOCK CLASSIC PRO

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35389	GL-M18-27	5902203353899	27 mm
35328	GL-M18-30	5902203353288	30 mm
35390	GL-M18-33	5902203353905	33 mm
35329	GL-M18-35	5902203353295	35 mm
35330	GL-M18-40	5902203353301	40 mm
35391	GL-M18-43	5902203353912	43 mm
35331	GL-M18-45	5902203353318	45 mm
35392	GL-M18-48	5902203353929	48 mm
35332	GL-M18-50	5902203353325	50 mm
35393	GL-M18-55	5902203353936	55 mm

WILKA W235

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35333	GL-W19-30	5902203353332	30 mm
35334	GL-W19-35	5902203353349	35 mm
35335	GL-W19-40	5902203353356	40 mm
35336	GL-W19-45	5902203353363	45 mm
35337	GL-W19-50	5902203353370	50 mm

WINKHAUS N-TRA

CYLINDER



SHAFT





INDEX	ITEM CODE	EAN CODE	CYLINDER DIMENSIONS FROM THE SHAFT SIDE
35318	GL-W20-30	5902203353189	30 mm
35319	GL-W20-35	5902203353196	35 mm
35320	GL-W20-40	5902203353202	40 mm
35321	GL-W20-45	5902203353219	45 mm
35322	GL-W20-50	5902203353226	50 mm

GERDA SLR MODULAR LOCK CYLINDER

The SLR Modular CYLINDER provides the maximum of comfort and safety for the user. It is easy to adjust the length using the tool included in the set. All you need to do is to assemble the SLR cylinder matching your current lock cylinder size.

- The highest class 6 security, based on EN 1303: 2015
- With six pins
- The highest durability - more than 100,000 cycles
- More than 150,000 key combinations
- The highest resistance to corrosion
- Protection against drilling (anti-drilling steel pins in the cylinder and the corps, body and the hardened steel ball inside the inner cylinder)
- 3 keys and security card included
- Key-alike as an option

See the installation video

DIMENSIONS OF GERDA SLR MODULAR LOCK CYLINDER





FROM THE INSIDE (APARTAMENT)	FROM THE OUTSIDE (KEY)
A	B
30 mm	30 mm
36 mm	30 mm
40 mm	30 mm
45 mm	30 mm
46 mm	30 mm
51 mm	30 mm
55 mm	30 mm
61 mm	30 mm

FROM THE INSIDE (APARTAMENT)	FROM THE OUTSIDE (KEY)
A	B
30 mm	37 mm
36 mm	43 mm
40 mm	47 mm
45 mm	52 mm
46 mm	53 mm
51 mm	58 mm
55 mm	62 mm
61 mm	68 mm

	INDEX	DIMENSIONS		TYPE		NO. OF KEYS
		A	B			
(A)	0WKSFS06130.9005LP	30-61 mm	30 mm		CAM	3
(B)	0WKSFZ06130.9005LP	30-61 mm	30 mm		GEAR	3
(C)	0WKSFS06168.9005LP	30-61 mm	37-68 mm		CAM	3
(D)	0WKSFZ06168.9005LP	30-61 mm	37-68 mm		GEAR	3

ADAPTER FOR EURO-PROFILE CYLINDERS



See the installation video

EURO ADAPTER





(2) The adapter is used to mount tedee lock (4) on any euro-profile cylinder with the "emergency" function (ie. for the cylinders that you can operate with both keys inserted into the keyway). The CYLINDER must protrude at least 3 mm from the lock escutcheon from the inside of the door. The original key (1) must be cut to protrude approximately 4 mm from the cylinder. The cam key (3) needs to be fitted into the lock (4) and screwed tightly (2) using the screws (5). The adapter with the lock is mounted on the cylinder body sticking out of the lock escutcheon by clamping the screw. All screws (5) and Allen key (6) are included in the adapter set.

INDEX	EAN CODE	DIMENSIONS	MATERIAL	COLOR
0ADT-KA00000.4700BP	5902203352281	Ø 38x9 mm	Aluminium	Silver
0ADT-KA00000.4800BP	5902203352267	Ø 38x9 mm	Aluminium	Graphite

ADAPTER FOR SWISS-PROFILE CYLINDERS



See the installation video

ADAPTER FOR SWISS-PROFILE CYLINDERS



The adapter is used to fasten the tedee lock (4) on any Swiss-type cylinder with "emergency" function. The CYLINDER must protrude at least 3 mm from the lock escutcheon from the inside of the door. The original key (1) must be cut to protrude approximately 4 mm from the cylinder. The CAM (3) must be fitted into the lock (4) and screwer tightly (2) using screws (5). The adapter with the lock is mounted on the cylinder body sticking out of the lock escutcheon by clamping the screw. All screws (5) and Allen key (6) are included in the adapter set.

INDEX	EAN CODE	DIMENSIONS	MATERIAL	COLOR
35355	5902203353554	Ø 38x9 mm	Aluminium	Silver
35354	5902203353547	Ø 38x9 mm	Aluminium	Graphite

ADAPTER FOR SCANDINAVIAN LOCKS



See the installation video

ADAPTER FOR NORDIC-PROFILE CYLINDERS

The adapter is used to mount tedee lock (4) on Scandinavian locks. The adapter is suitable for a lock with a key-operated cylinder on both sides as well as for the lock with a door-knob on the inner side of the door. The cylinder or the door knob on the inner side of the door needs to be removed and replaced with the adapter parts (2+3) and (2) adjusted to stick out between 3 and 10mm from the door. Then, TEDEE LOCK (4) needs to be mounted on the adapter shaft (3). All components for both mounting variants are included in the adapter set.

INDEX	EAN CODE	DIMENSIONS	MATERIAL	COLOR
0ADT-NA00000.4700AP	5902203352274	Ø 52 mm	Aluminium	Silver
0ADTNA00000.G300AP	5902203352250	Ø 52 mm	Aluminium	Graphite

KNOBS FOR ‘TEDEE READY’ CYLINDERS



TEDEE LOCK can be removed from the cylinder at any time and replaced with a simple door knob. This is a useful option in case of relocation, renovation (when you do not want the lock to be accidentally damaged), or tedee lock maintenance.

INDEX	EAN CODE	TYPE	COLOR
35361	5902203353615	B	Pearl Nickel

tedee

Bohdanowicza 21/57
02-127 Warsaw
POLAND

www.tedee.com